



BELLEAIR BUILDING DEPARTMENT
901 PONCE DE LEON BLVD.
BELLEAIR, FL 33756
(727) 588-3775
WWW.TOWNOFBELLAIR.COM/BUILDING

RESIDENTIAL SWIMMING POOL, SPA, & HOT TUB SAFETY ACT

NOTICE OF REQUIREMENTS

Section R4501.17.1.1 of the 2014 Florida Building Code - Residential Volume (FBC-R), and Chapter 515, Florida Statutes (F.S), requires pool barriers to be installed around the entire perimeter of a pool, spa, or hot tub. In addition to this executed affidavit, all provisions for the required pool barrier must be shown on the plans.

I, _____ **acknowledge that a new swimming pool, spa, or hot tub will be constructed or installed at the following address _____ in Belleair, Florida, and hereby affirm that one or more of the following methods will be used to meet the requirements of the Section R4501.17.1.1 of the 2014 FBC-R and Chapter 515, F.S.**

Please submit **2 copies** of this form along with **2 copies** of specifications and/or detail layouts doors, windows, fences, screen enclosure, etc., showing compliance with Section 4101.17 of 2014 FBC-R for approval.

PLEASE CHECK ALL APPLICABLE METHODS USED TO CREATE A 360-DEGREE BARRIER AROUND POOL, SPA, OR HOT TUB

- Safety pool cover:** The pool will be equipped with an approved safety pool cover that complies with ASTM F 1346 Section R4501.17 of the 2014 FBC-R. **Submit 2 copies of manufacturer's specifications.**
- Enclosure:** A new, continuous barrier, such as a fence, wall or screen enclosure, will be placed **completely around** the pool perimeter to provide the required 360-degree protection. **Identify method(s) below on site plan or pool layout for approval**
 - Fence:** 48" or higher perimeter fence (wood, chain link, aluminum, PVC or other) which complies with FBC R4501.17 thru R4501.17.1.8
 - Screen:** Aluminum screen enclosure with self-closing, self-latching door with a latching device that is a minimum of 54" above the door threshold and meets the requirements of FBC R4501.17
 - Barrier:** Child safety barrier meeting the requirements section R4501.17.1.15 of the 2014 FBC-R
 - Other:** _____

- Combination:** A combination system such as a perimeter (partial) barrier used in conjunction with a child safety barrier between house and pool meeting the requirements of Section R4501.17 of the FBC-R, window/door alarms meeting the requirements UL 2017 and Section R4501.17.1.9 of the FBC-R, or window alarms with doors meeting self-closing, self-latching requirements of section R4501.17.1.9 of the 2014 FBC-R. **Identify proposed combination below and submit a detailed layout of site plan, pool, and house layout (doors and windows) showing the detail of this for approval).**

- Screen and barrier:** Screen enclosure with child safety barrier between house and pool
- Screen and alarms:** Screen enclosure with window and door alarms (or complying doors) at required locations (**submit alarm specifications and who is doing the installation**)
- Fence and barrier:** Perimeter fence with child safety barrier between house and pool (**submit child safety barrier specifications and fence layout details**)
- Fence and alarms:** Perimeter fence with window and door alarms (or complying doors) at required locations (**submit alarm specifications and fence layout details**)
- Converted fence:** Existing 48" or higher perimeter privacy fence converted (with permit) to pool barrier fence with child safety barrier between house and pool (**submit fence conversion details and layout along with child safety barrier specifications**).
- Converted fence and alarms:** Existing 48" or higher perimeter privacy fence converted (with permit) to pool barrier fence and window and door alarms (or complying doors) at required locations (**submit fence conversion details and layout along with alarm specifications**)



BELLEAIR BUILDING DEPARTMENT
901 PONCE DE LEON BLVD.
BELLEAIR, FL 33756
(727) 588-3775
WWW.TOWNOFBELLAIR.COM/BUILDING

AUTHORIZATION

I understand that not having a complete barrier around the perimeter of the pool will constitute a violation of Chapter 515, Florida Statutes, and will be considered as committing a misdemeanor of the second degree, punishable as provided in Chapter 775, Florida Statutes.

I FURTHER UNDERSTAND THAT THE POOL SHALL NOT BE FILLED WITH WATER UNTIL THE FINAL ELECTRICAL AND POOL BARRIER CODE INSPECTIONS HAVE PASSED AS PER SECTION R4501.19 OF 2014 FBC-R.

This form must be signed by the pool contractor and the homeowner. The homeowner's signature must be notarized prior to submittal.

Contractor company name

Contractor's representative name

Contractor's representative signature

Date signed

***Notarization Required (Individual Acknowledgement)**

Homeowner's Printed Name

Homeowner's Signature

STATE OF: _____

COUNTY OF: _____

The foregoing instrument was acknowledged before me by means of
 physical presence or online notarization, this _____ day of

_____, 20____, by _____

who is personally known to me or produced _____ as
identification.

Notary Signature

Commission No.

(SEAL)